

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

as B249
AB
copy 2

COTTON

VARIETIES PLANTED

1971 - 1975



PROCUREMENT SECTION
CURRENT SERIAL RECORDS

SEP 11 '75

U.S. DEPT. OF AGRICULTURE
NATL. AGRIC. LIBRARY
RECEIVED

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee
August 1975

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties.	1
	Map of Smith-Doxey Cotton Classing Office Territories.	2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1974	3
2.	Varieties by states and United States, crop of 1975.	4
3.	Varieties by states	
	North Carolina, South Carolina, Georgia, Florida, Alabama.	5
	Mississippi, Tennessee, Missouri, Arkansas, Louisiana.	6
	Oklahoma, Texas, New Mexico, Arizona, California	7
	Varieties by classing office territories and by counties	
4.	Raleigh Classing Office.	8
5.	Columbia Classing Office	9
6.	Augusta Classing Office.	10
7.	Atlanta Classing Office.	10
8.	Birmingham Classing Office	11
9.	Montgomery Classing Office	12
10.	Greenwood Classing Office.	13
11.	Jackson Classing Office.	13
12.	Memphis Classing Office.	14-15
13.	Hayti Classing Office.	16
14.	Blytheville Classing Office.	16
15.	Little Rock Classing Office.	17
16.	Winnsboro Classing Office.	18
17.	Alexandria Classing Office	18
18.	Altus Classing Office.	19
19.	Dallas Classing Office	20
20.	Austin Classing Office	21
21.	Corpus Christi Classing Office	22
22.	Harlingen Classing Office.	22
23.	Abilene Classing Office.	23
24.	Lubbock Classing Office.	24
25.	El Paso Classing Office.	25
26.	Carlsbad Classing Office	26
27.	Phoenix Classing Office.	27
28.	Fresno Classing Office	27
29.	Bakersfield Classing Office.	28
30.	El Centro Classing Office.	28
31.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1971-1975.	29
32.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1975.	29

Cotton Varieties Planted, United States
1971-1975

Stoneville and Deltapine were the leading varieties of cotton planted in the United States in the 1975-76 season according to the Department of Agriculture, Agricultural Marketing Service. Each of these varieties accounted for nearly one-fifth of this year's acreage. Lankart was the third leading variety, being planted on about one-sixth of the acreage. The other major varieties, Acala, Paymaster and Coker together accounted for about one-fourth of the acres planted this year.

Stoneville became the leading variety of cotton planted in the United States this year by a small margin. Nineteen percent of the 1975 cotton acreage was planted to Stoneville compared with 18 percent a year earlier. Stoneville was the major variety planted in Alabama, Arkansas, Missouri and Tennessee and also accounted for a substantial proportion of the planted acreages in Louisiana and Mississippi. Stoneville 213, the principal Stoneville strain, represented 17 percent of the total cotton acreage.

Deltapine dropped into second place among the leading varieties after being the most popular variety for six straight years. The acreage planted to Deltapine in 1975 was estimated at 18 percent, down from 22 percent a year earlier. Deltapine was the most popular variety in Arizona, Louisiana and Mississippi and was the second most popular variety in Arkansas, Missouri and Tennessee. Deltapine 16, the predominating Deltapine strain, comprised 14 percent of the total acreage planted in the United States.

Lankart was the third leading variety planted this year and accounted for 14 percent of the total acreage. This is up from the 11 percent planted a year earlier and is the largest percentage planted to this variety since 1967. Lankart, the leading variety in the Southwest, accounted for nearly one-fourth of the acreage planted in Texas and over three-fourths of the acreage in Oklahoma.

Acala, the fourth leading variety, represented ten percent of the total acreage planted in 1975 compared with 15 percent planted last year. Acala was the principal variety planted in California and New Mexico.

Paymaster was the fifth leading variety planted this year. This variety accounted for eight percent of the 1975 planted acreage compared with six percent in 1974. Paymaster continued to be the second most popular variety in Texas where it accounted for nearly a fifth of that state's total acreage.

The sixth leading variety planted this year was Coker, which represented six percent of the total acreage. This is down slightly from a year earlier and is the smallest proportion planted to Coker since 1969. Coker remained the number one choice of farmers in Georgia, North Carolina and South Carolina.

Pima S-4 was the leading strain of American Pima cotton planted in 1975, accounting for 75 percent of the total Pima acreage. This compares with 93 percent a year earlier and 87 percent two years ago.

Estimates of the percentages of the various varieties of cotton planted in the United States in 1975, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1971-1974 are shown by states. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1971-1975

Year	Acala	Coker	Deltapine	Lankart	Paymaster	Stoneville	Other	Total
	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1971	13	8	26	10	5	21	17	100
1972	12	8	29	9	3	24	15	100
1973	15	7	25	10	5	23	15	100
1974	15	8	22	11	6	18	20	100
1975	10	6	18	14	8	19	25	100

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop or 1974 ^{1/}

Variety	Sampling offices	Lots tested	Staple length	Micro- naire ^{2/}	Fiber strength ^{3/}		Fiber length ^{4/}	
					Zero gage	1/8"-gage	2.5% span	50/2.5 uniformity
	No.	No.	32d in.	Rdg.	Mps1	G/tex	In.	Pct.
Paymaster 18	2	6	30	3.2	78	20	0.94	44
Western Stormproof	1	3	30	3.8	82	19	0.94	44
Lankart 57	5	15	31	4.3	84	21	0.96	44
Lankart 611	3	9	31	4.1	81	21	0.97	44
Lankart LX571	4	12	31	4.2	86	21	0.98	44
Stripper 31	3	9	31	2.8	80	21	0.95	43
Lockett 4789A	2	6	32	3.7	83	22	1.03	43
Lockett BXL	1	3	32	4.2	89	25	1.06	44
Western Stormproof 44	1	3	32	3.7	87	22	1.00	43
Tamcot SP 37	3	9	33	3.7	82	21	1.03	43
Deltapine 45A	1	3	34	4.7	82	21	1.06	46
Dixie King II	1	3	34	4.7	82	22	1.05	46
Dunn 119	1	3	34	2.7	85	24	1.05	42
Stoneville 603	1	3	34	3.7	79	22	1.09	43
TPSA 1633	1	3	34	4.7	87	24	1.09	45
Acala SJ-2	11	33	35	4.3	96	27	1.12	47
Acala SJ-3	2	6	35	4.5	98	28	1.11	47
Auburn M	1	3	35	3.4	78	22	1.08	43
Brycot #4	1	3	35	3.8	86	22	1.10	44
Coker 201	6	19	35	4.3	80	22	1.10	45
Coker 310	7	21	35	4.0	83	23	1.15	43
Coker 312	1	3	35	3.5	85	24	1.13	42
Coker 417	1	4	35	4.1	90	24	1.12	45
Coker 5110	1	3	35	3.3	83	22	1.11	41
Deltapine 16	23	71	35	4.1	82	23	1.11	44
Deltapine 25	1	3	35	4.4	87	23	1.10	44
Deltapine 61	4	14	35	4.7	86	24	1.11	45
Deltapine 66	1	3	35	4.0	87	23	1.09	43
Dixie King III	2	6	35	4.5	87	23	1.05	46
Rex Smoothleaf	1	3	35	3.4	82	21	1.10	45
Stoneville 213	24	77	35	4.2	83	22	1.09	44
Stoneville 7A	4	12	35	4.2	89	23	1.08	44
McNair 612	1	3	35	4.1	80	22	1.11	45
Acala 1517-C	1	4	37	4.0	95	27	1.17	45
Acala 1517-V	1	4	37	3.4	93	27	1.17	45
Acala 1517-70	2	6	37	3.8	92	26	1.16	45

^{1/} Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1974", USDA, AMS, Cotton Division, May 1975.

^{2/} Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.

^{3/} Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. Zero gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.

^{4/} Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1975

Variety	N.C.	S.C.	Ga.	Fla.	Ala.	Miss.	Tenn.	Mo.	Ark.	La.	Okla.	Tex.	N.M.	Ariz.	Cal.	All 1/ other	U.S.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Acala 4-42	-	-	-	-	-	-	-	-	-	-	-	-	*	-	1	-	*
Acala 1517BR-2	-	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	*
Acala 1517C	-	-	-	-	-	-	-	-	-	-	-	*	5	*	-	-	*
Acala 1517D	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
Acala 1517V	-	-	-	-	-	-	-	-	-	-	-	*	32	*	-	-	*
Acala 1517-70	-	-	-	-	-	-	-	-	-	-	-	*	31	1	-	-	1
Acala SJ-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	*
Acala SJ-2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	85	40	8
Acala SJ-3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	*
Acala SJ-4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1
Acala 3080	-	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	*
Auburn M	-	-	-	-	-	-	6	4	*	-	-	*	-	-	-	-	*
Blightmaster A-5	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1
Brycot 4	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	*
Carolina Queen	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 201	18	39	44	13	5	*	-	-	-	-	-	-	-	-	-	-	2
Coker 301	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 304	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 310	46	50	27	19	11	1	4	1	*	*	-	*	*	-	-	44	2
Coker 312	-	-	-	-	-	-	-	-	-	-	1	*	1	*	-	-	*
Coker 417	-	*	-	-	9	-	-	-	-	-	-	-	-	-	-	-	*
Coker 5110	-	-	-	-	-	-	-	-	-	-	-	2	*	*	-	-	1
Del Cerro	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	*
Delcot 277	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	*
Deltapine 16	-	1	9	58	18	52	27	17	35	48	3	1	*	19	*	-	14
Deltapine 25	-	-	*	4	2	*	-	1	1	2	-	-	-	-	-	-	*
Deltapine 45A	-	-	-	-	-	1	-	*	*	6	-	-	-	-	-	-	*
Deltapine 61	-	-	-	-	-	-	-	-	-	-	1	*	*	53	5	-	2
Deltapine 66	-	-	-	-	-	-	-	-	-	-	-	*	-	10	*	-	*
Deltapine SR 2	-	-	-	-	-	-	-	-	-	-	1	3	*	-	-	-	1
Dixie King	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	*
Dixie King II	-	-	-	-	1	*	1	-	-	-	-	-	-	-	-	-	*
Dixie King III	-	*	2	-	12	*	17	-	*	-	-	-	-	-	-	-	1
Dunn 56C	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Dunn 118	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Dunn 119	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	1
Dunn 120	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Gregg 35	-	-	-	-	-	-	-	-	-	-	*	1	1	-	-	-	*
GSA 71	-	-	-	-	-	-	-	-	-	-	1	1	*	-	-	-	1
Hancock	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	*
Lankart 57	-	-	-	-	-	-	-	-	-	-	57	8	1	-	-	-	6
Lankart 611	-	-	-	-	-	-	-	-	-	-	13	6	*	-	-	-	3
Lankart LX 571	-	-	-	-	-	-	-	-	-	-	11	10	-	-	-	-	5
Lockett 4789	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	-	1
Lockett 4789A	-	-	-	-	-	-	-	-	-	-	1	5	*	-	-	-	2
Lockett BXL	-	-	-	-	-	-	-	-	*	-	1	1	-	-	-	-	1
McNair 511	-	-	1	6	1	*	-	-	-	-	-	-	-	-	-	-	*
McNair 612	36	9	5	-	1	-	-	*	-	-	-	-	-	-	-	-	1
Northern Star R-4	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	*
Northern Star 5	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	1
Paymaster 18	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	3
Paymaster 111	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Paymaster 111A	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Paymaster 202	-	-	-	-	-	-	-	-	-	-	*	1	1	-	-	-	*
Paymaster 909	-	-	-	-	-	-	-	-	-	-	*	6	3	-	-	-	3
Quapaw	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Rex Smooth Leaf	-	-	-	-	*	-	3	-	-	-	-	*	-	-	-	-	*
Rex Smooth Leaf 66	-	-	-	-	-	-	-	1	1	-	-	*	-	-	-	-	*
Rilecot 90	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	1
Stoneville 7A	-	-	-	-	-	-	-	1	1	*	1	1	-	1	-	-	1
Stoneville 213	-	-	1	-	31	44	27	70	59	44	3	2	2	11	*	-	17
Stoneville 256	-	-	-	-	-	*	-	-	-	-	-	*	*	4	*	-	*
Stoneville 603	-	*	1	-	6	*	10	-	-	-	-	-	-	-	-	-	1
Stripper 31	-	-	-	-	-	-	-	-	-	-	-	12	3	-	-	-	5
Stripper 32	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	*
Stroman Acala 3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
Stroman Acala 104	-	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	*
Stroman Acala 254	-	-	-	-	-	-	-	-	-	-	-	*	4	-	-	-	*
Tamcot SP 21	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	*
Tamcot SP 37	-	-	-	-	-	-	-	-	-	-	-	3	*	-	-	-	1
Westburn 70	-	-	-	-	-	-	-	-	-	-	3	*	-	-	-	-	*
Western 44	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Western Stormproof	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
All other	-	-	1	-	2	2	*	*	1	*	3	6	3	-	*	-	7
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

1/ All other includes Virginia and Nevada.

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1971-1975

NORTH CAROLINA

Season beginning August 1	Acreage planted	Coker 100A	Coker 201	Coker 310	Coker 417	Delta-pine 16	McNair 210	McNair 511	McNair 612	McNair 1032	Rex	Stoneville 603	TH 149	Other	Total
	1,000 acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	194	2	50	25	1	-	2	3	-	11	3	-	3	-	100
1972	210	-	40	37	-	1	3	10	-	6	-	-	2	1	100
1973	186	-	40	40	-	1	2	11	-	5	-	-	-	1	100
1974	158	-	31	53	-	*	2	2	10	-	-	2	-	-	100
1975	60	-	18	46	-	-	-	-	36	-	-	-	-	-	100

SOUTH CAROLINA

Season beginning August 1	Acreage planted	Coker 201	Coker 304	Coker 310	Coker 413	Coker 417	Delta-pine	Delta-pine 16	Dixie King	McNair 511	McNair 612	McNair 1032 B	Stoneville 603	Other	Total
	1,000 acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	381	66	-	25	1	6	1	-	*	-	-	-	-	1	100
1972	400	53	-	32	-	7	-	5	1	1	-	1	-	*	100
1973	330	54	-	41	-	*	-	3	-	1	-	-	*	1	100
1974	310	52	-	41	-	-	-	4	*	-	2	-	1	*	100
1975	140	39	1	50	-	*	-	1	-	-	9	-	*	-	100

GEORGIA

Season beginning August 1	Acreage planted	Carolina Queen	Coker 201	Coker 301	Coker 310	Coker 417	Delta-pine 16	Dixie King II	Dixie King III	McNair 511	McNair 612	McNair 1032 B	Stoneville 213	Other	Total
	1,000 acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	426	1	46	-	22	9	6	4	-	-	-	4	1	7	100
1972	461	1	41	-	26	6	12	3	-	*	-	3	3	5	100
1973	386	1	44	-	32	*	11	1	-	4	-	1	4	2	100
1974	423	*	46	-	34	-	10	1	*	3	*	*	4	2	100
1975	210	2	44	7	27	-	9	-	2	1	5	-	1	2	100

FLORIDA

Season beginning August 1	Acreage planted	Coker 201	Coker 310	Delta-pine 16	Delta-pine 25	Dixie King II	McNair 210	McNair 511	McNair 1032 B	Stoneville 213	----	----	----	Other	Total
	1,000 acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	11.5	12	23	51	-	6	-	-	8	-	-	-	-	-	100
1972	12.5	7	10	70	-	9	1	1	1	-	-	-	-	1	100
1973	12.6	18	14	62	-	-	1	5	-	-	-	-	-	-	100
1974	12.5	1	10	77	-	-	-	10	-	2	-	-	-	-	100
1975	7.0	13	19	58	4	-	-	6	-	-	-	-	-	-	100

ALABAMA

Season beginning August 1	Acreage planted	Coker 201	Coker 310	Coker 417	Delta-pine 16	Delta-pine 25	Dixie King II	Dixie King III	Hancock	McNair 511	Rex Smooth Leaf	Stoneville 213	Stoneville 603	Other	Total
	1,000 acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	579	8	6	7	26	-	20	-	1	-	5	19	*	8	100
1972	601	4	8	6	28	-	16	-	1	*	4	27	1	5	100
1973	525	4	10	8	27	*	8	1	1	-	2	32	5	2	100
1974	600	5	7	8	23	*	2	14	*	1	*	32	5	3	100
1975	475	5	11	9	18	2	1	12	1	1	*	31	6	3	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1971-75 (Continued)

MISSISSIPPI

Season beginning August 1	Acreage planted	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Delta-pine Sm.Lf.	Dixie King	Dixie King II	Dixie King III	Stone-ville 7A	Stone-ville 213	Other	Total
	1,000														
	Acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	1,355	*	*	*	57	-	1	-	-	*	-	*	40	2	100
1972	1,664	-	1	-	55	-	1	*	*	*	-	*	41	2	100
1973	1,370	-	1	-	54	*	2	-	*	*	-	*	42	1	100
1974	1,780	-	3	-	50	1	1	-	*	*	*	1	44	*	100
1975	1,200	*	1	-	52	*	1	-	-	*	*	-	44	2	100

TENNESSEE

Season beginning August 1	Acreage planted	Auburn M	Coker 310	Delta-pine 16	Delta-pine 45	Delta-pine Sm.Lf.	Dixie King II	Dixie King III	Empire	Hancock	Rex Smooth Leaf	Stone-ville 213	Stone-ville 603	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	447	3	*	40	*	-	20	-	1	3	3	28	-	2	100
1972	540	3	1	42	*	*	16	-	1	5	4	28	-	*	100
1973	460	*	3	37	-	-	17	-	-	3	3	34	2	1	100
1974	540	3	5	29	-	-	8	9	*	3	3	25	15	*	100
1975	360	6	4	27	-	-	1	17	*	5	3	27	10	*	100

MISSOURI

Season beginning August 1	Acreage planted	Auburn M	Brycot 4	Coker 310	Delcot	Delcot 277	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King	Rex Smooth Lf. 66	Stone-ville 7A	Stone-ville 213	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	343	5	-	-	2	-	26	-	3	-	3	4	56	1	100
1972	435	4	2	-	3	-	19	-	1	-	5	2	64	*	100
1973	241	5	1	1	-	1	22	-	1	*	1	3	65	*	100
1974	400	6	1	2	-	2	18	-	*	-	1	2	67	1	100
1975	260	4	3	1	-	1	17	1	*	1	1	1	69	1	100

ARKANSAS

Season beginning August 1	Acreage planted	Auburn M	Brycot 4	Coker 310	Delcot 277	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King II	Rex Smooth Leaf	Rex Smooth Lf. 66	Stone-ville 7A	Stone-ville 213	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	1,180	*	1	*	-	41	-	2	*	*	3	8	43	2	100
1972	1,470	*	1	*	1	41	-	1	1	*	3	6	45	1	100
1973	1,045	*	1	*	-	40	1	1	*	*	2	4	50	1	100
1974	1,200	*	2	*	*	40	1	1	*	-	1	3	51	1	100
1975	800	*	2	*	-	35	1	*	-	-	1	1	59	1	100

LOUISIANA

Season beginning August 1	Acreage planted	Coker 310	Coker 413	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Stone-ville 7A	Stone-ville 213	---	---	---	---	---	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	510	1	-	52	-	8	1	38	-	-	-	-	-	*	100
1972	690	*	1	53	-	10	1	35	-	-	-	-	-	*	100
1973	530	*	-	52	1	10	1	36	-	-	-	-	-	*	100
1974	650	*	-	55	1	8	1	35	-	-	-	-	-	-	100
1975	330	*	-	48	2	6	*	44	-	-	-	-	-	*	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1971-75 (Continued)

OKLAHOMA

Season beginning August 1	Acreage planted	Delta- pine 16	Lank- art 57	Lank- art 611	Lank- art LX 571	Lank- art 3840	Lock- ett BXL	Lock- ett 4789	Lock- ett 4789A	Pay- master 202	Stone- ville 213	West- burn	West- burn 70	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	445	2	70	9	3	1	*	2	2	2	1	2	-	6	100
1972	553	4	62	11	10	2	*	3	*	2	1	2	*	3	100
1973	547	3	57	14	11	1	2	*	2	1	2	3	-	4	100
1974	570	3	61	11	12	*	1	1	1	1	2	-	2	5	100
1975	420	3	57	13	11	*	1	*	1	*	3	-	3	8	100

TEXAS

Season beginning August 1	Acreage planted	Coker	Delta- pine	Dunn	Lank- art	Lock- ett	North- ern Star	Pay- master	Rilcot 90	Stone- ville	Strip- per 31	Tamcot	Western Storm proof	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	5,230	2	3	2	29	6	2	17	4	10	8	*	4	13	100
1972	5,570	1	4	1	33	6	3	15	3	14	7	*	4	9	100
1973	5,400	2	4	1	27	5	4	15	3	10	10	3	4	12	100
1974	5,200	3	3	6	24	8	3	17	2	5	11	5	4	9	100
1975	4,550	3	4	4	24	8	2	18	2	4	12	4	2	13	100

NEW MEXICO

Season beginning August 1	Acreage planted	Acala 1517- BR2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517- 70	Hopi- cala	Lank- art	Pay- master	Rilcot 90	Stone- ville 213	Strip- per 31	Stroman Acala 254	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	135	4	7	4	30	22	3	1	5	3	4	1	4	12	100
1972	141	1	7	2	28	34	1	2	4	3	2	1	3	12	100
1973	131	2	3	2	26	37	1	2	5	6	3	3	2	8	100
1974	151	2	5	3	21	38	1	2	5	5	2	2	3	11	100
1975	115	1	5	1	32	31	*	1	5	4	2	3	4	11	100

ARIZONA

Season beginning August 1	Acreage planted	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517- 70	Del Cerro	Delta- pine 16	Delta- pine 61	Delta- pine 66	Delta- pine Sm.Lf.	Stone- ville 7A	Stone- ville 213	Stone- ville 256	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	242	1	1	*	2	1	80	-	-	6	1	8	-	*	100
1972	273	1	1	*	2	2	80	-	-	3	2	9	-	*	100
1973	276	1	*	1	1	1	78	-	-	3	1	14	-	*	100
1974	392	*	*	1	*	1	38	38	10	*	1	10	-	1	100
1975	280	*	-	*	1	1	19	53	10	-	1	11	4	*	100

CALIFORNIA

Season beginning August 1	Acreage planted	Acala 4-42	Acala SJ-1	Acala SJ-2	Acala SJ-3	Acala SJ-4	Acala T-4852	Delta- pine 16	Delta- pine 61	Delta- pine 66	Delta- pine Sm.Lf.	Stone- ville 213	Stone- ville 256	Other	Total
	1,000														
	acres	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1971	760	10	83	-	-	-	-	5	-	-	1	1	-	-	100
1972	868	4	90	-	-	-	-	4	-	-	1	1	-	-	100
1973	950	4	86	4	-	-	-	5	-	-	1	*	-	*	100
1974	1,250	1	*	89	3	-	*	1	5	1	*	*	-	-	100
1975	925	1	*	85	2	7	-	*	5	*	-	*	*	*	100

* Less than 0.5 percent.

Table 4. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Coker 201	Coker 310	McNair 612	---	Pct.	---	Pct.	---	Pct.	---	Pct.	---	Pct.	Other	Pct.	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>North Carolina:</u>																
Anson	41	48	11	-	-	-	-	-	-	-	-	-	-	-	-	100
Cleveland	99	1	-	-	-	-	-	-	-	-	-	-	-	-	-	100
Halifax	8	83	9	-	-	-	-	-	-	-	-	-	-	-	-	100
Nash	21	65	14	-	-	-	-	-	-	-	-	-	-	-	-	100
Northampton	5	72	23	-	-	-	-	-	-	-	-	-	-	-	-	100
Robeson	10	33	57	-	-	-	-	-	-	-	-	-	-	-	-	100
Sampson	26	36	38	-	-	-	-	-	-	-	-	-	-	-	-	100
Scotland	17	19	64	-	-	-	-	-	-	-	-	-	-	-	-	100
All other	19	59	22	-	-	-	-	-	-	-	-	-	-	-	-	100
Classing Office Total	18	46	36	-	-	-	-	-	-	-	-	-	-	-	-	100

Table 5. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Coker 201	Coker 304	Coker 310	Coker 417	Delta- pine 16	Dixie King III	McNair 612	Stone- ville 603	---	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>South Carolina:</u>													
Abbeville	100	-	-	-	-	-	-	-	-	-	-	-	100
Aiken	52	-	17	-	-	-	31	-	-	-	-	-	100
Anderson	-	65	35	-	-	-	-	-	-	-	-	-	100
Barnwell	53	-	-	-	-	-	47	-	-	-	-	-	100
Calhoun	39	-	60	-	-	-	1	-	-	-	-	-	100
Cherokee	100	-	-	-	-	-	-	-	-	-	-	-	100
Clarendon	10	-	20	-	-	-	70	-	-	-	-	-	100
Darlington	28	-	66	-	-	-	6	-	-	-	-	-	100
Dillon	-	-	83	-	-	-	17	-	-	-	-	-	100
Edgefield	-	-	100	-	-	-	-	-	-	-	-	-	100
Florence	67	-	4	-	-	-	29	-	-	-	-	-	100
Laurens	67	-	25	-	-	-	8	-	-	-	-	-	100
Lee	14	-	81	-	-	-	5	-	-	-	-	-	100
Lexington	39	-	44	-	-	-	-	17	-	-	-	-	100
Marlboro	43	-	48	-	5	-	4	-	-	-	-	-	100
Orangeburg	55	-	37	-	-	-	8	-	-	-	-	-	100
Spartanburg	89	-	11	-	-	-	-	-	-	-	-	-	100
Sumter	84	-	8	-	1	1	5	1	-	-	-	-	100
York	5	-	95	-	-	-	-	-	-	-	-	-	100
All other	22	-	55	2	2	-	17	2	-	-	-	-	100
Classing Office Total	39	1	50	*	1	*	9	*	-	-	-	-	100

* Less than 0.5 percent.

Table 6. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Caro- lina Queen	Coker 201	Coker 301	Delta- pine 16	Dixie King III	McNair 612	---	---	---	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>													
Burke	-	55	45	-	-	-	-	-	-	-	-	-	100
Jefferson	61	20	9	-	-	10	-	-	-	-	-	-	100
Johnson	-	55	30	2	-	13	-	-	-	-	-	-	100
Laurens	-	66	8	16	-	10	-	-	-	-	-	-	100
Morgan	-	-	44	-	56	-	-	-	-	-	-	-	100
Screven	-	65	30	-	-	5	-	-	-	-	-	-	100
All other	-	67	31	1	-	1	-	-	-	-	-	-	100
Classing Office Total	8	48	29	3	8	4	-	-	-	-	-	-	100

Table 7. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Coker 201	Coker 310	Delta- pine 16	Delta- pine 25	Dixie King III	Empire	McNair 511	McNair 612	Stone- ville 213	Stone- ville 603	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>														
Bartow	34	39	-	-	4	4	-	-	-	15	-	-	4	100
Bleckley	95	5	-	-	-	-	-	-	-	-	-	-	-	100
Colquitt	80	1	18	-	-	-	-	1	-	-	-	-	-	100
Crisp	75	12	-	-	-	-	10	-	-	-	-	-	3	100
Dooly	3	92	3	-	-	-	-	-	-	-	-	-	2	100
Macon	52	10	-	-	-	-	-	38	-	-	-	-	-	100
Oconee	60	35	-	-	-	-	-	5	-	-	-	-	-	100
Pulaski	30	10	58	2	-	-	-	-	-	-	-	-	-	100
Sumter	56	37	6	-	-	-	-	-	-	-	-	-	1	100
Taylor	54	46	-	-	-	-	-	-	-	-	-	-	-	100
Terrell	8	8	12	-	-	-	-	45	27	-	-	-	-	100
Worth	72	-	-	-	-	-	26	-	-	-	-	-	2	100
All other	50	21	13	-	-	-	-	12	2	1	-	-	1	100
Classing Office Total	42	36	11	*	*	*	1	6	2	1	-	-	1	100

* Less than 0.5 percent.

Table 8. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Coker 201	Coker 310	Delta- pine 16	Delta- pine 25	Dixie King II	Dixie King III	Empire	Han- cock	Rex Smooth Leaf	Stone- ville 213	Stone- ville 603	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Alabama:</u>														
Cherokee	-	14	9	-	-	65	-	-	-	-	12	-	-	100
Colbert	-	-	6	-	-	6	-	-	-	78	10	-	-	100
Cullman	-	9	-	-	-	69	-	-	-	-	22	-	-	100
DeKalb	-	42	-	-	3	49	-	-	-	-	6	-	-	100
Franklin	-	10	15	-	-	15	-	-	-	50	10	-	-	100
Jackson	7	7	-	-	-	76	-	-	-	-	10	-	-	100
Lauderdale	-	9	25	-	-	41	-	-	-	11	14	-	-	100
Lawrence	-	7	32	5	-	-	-	8	-	33	15	-	-	100
Limestone	-	2	3	-	5	4	-	-	-	85	-	-	1	100
Madison	-	1	10	-	4	2	-	1	1	66	15	-	-	100
Marshall	-	22	-	-	-	39	-	-	-	-	39	-	-	100
Morgan	-	-	21	-	2	-	4	4	-	68	-	-	1	100
Pickens	-	2	54	-	-	24	-	-	-	20	-	-	-	100
Shelby	-	5	59	31	2	-	-	-	-	3	-	-	-	100
Tuscaloosa	-	22	78	-	-	-	-	-	-	-	-	-	-	100
All other	-	49	34	1	1	9	-	-	-	5	1	-	-	100
Classing Office Total	*	10	18	1	2	16	*	1	*	43	9	-	*	100

* Less than 0.5 percent.

Table 9. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Coker 201	Coker 310	Coker 417	Delta- pine 16	Delta- pine 25	Dixie King III	McNair 511	McNair 612	Stone- ville 213	---	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Alabama:</u>														
Autauga	-	-	98	-	-	-	-	-	-	-	-	-	2	100
Dallas	14	26	50	8	-	-	-	-	-	-	-	-	2	100
Elmore	7	-	62	21	-	-	-	5	5	-	-	-	-	100
Hale	68	4	-	17	-	6	-	4	-	-	-	-	1	100
Lowndes	34	-	4	-	-	2	-	2	56	-	-	-	2	100
Macon	-	9	-	66	-	1	-	1	23	-	-	-	-	100
Marengo	-	15	-	22	-	1	9	7	46	-	-	-	-	100
Sumter	7	-	-	22	-	43	-	-	28	-	-	-	-	100
All other	17	16	6	28	11	8	5	6	3	-	-	-	-	100
Total	16	12	29	18	5	5	2	4	8	-	-	-	1	100
<u>Florida:</u>														
Total	13	19	-	58	4	-	6	-	-	-	-	-	-	100
Classing Office Total	15	12	28	23	5	4	2	3	7	-	-	-	1	100

Table 10. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Coker 310	Delta- pine 16	Delta- pine 25	Delta- pine 45A	Dixie King III	Stone- ville 213	Stone- ville 256	Stone- ville 731N	---	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>													
Bollivar	-	69	-	-	-	31	-	-	-	-	-	-	100
Carroll	-	47	-	-	-	53	-	-	-	-	-	-	100
Coahoma	-	48	-	-	-	52	-	-	-	-	-	-	100
DeSoto 1/	7	75	-	-	-	18	-	-	-	-	-	-	100
Holmes	-	76	-	-	-	22	-	-	-	-	-	2	100
Humphreys	-	31	-	-	-	69	-	-	-	-	-	-	100
Issaquena	-	71	-	-	-	29	-	-	-	-	-	-	100
Leflore	5	64	-	-	-	27	-	4	-	-	-	-	100
Panola 1/	-	12	-	-	-	88	-	-	-	-	-	-	100
Quitman	2	15	-	-	-	83	-	-	-	-	-	-	100
Sharkey	-	75	1	-	-	24	-	-	-	-	-	-	100
Sunflower	4	33	-	-	2	61	-	-	-	-	-	-	100
Tallahatchie	-	37	2	4	-	57	-	-	-	-	-	-	100
Tunica	13	32	-	26	-	29	-	-	-	-	-	-	100
Washington	-	71	-	-	-	23	6	-	-	-	-	-	100
Yazoo	-	76	-	-	-	24	-	-	-	-	-	-	100
All other	-	55	6	-	-	39	-	-	-	-	-	-	100
Classing Office Total	2	52	*	2	*	43	1	*	-	-	-	*	100

1/ A portion of this county is served by Memphis Classing Office.

* Less than 0.5 percent.

Table 11. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Coker 201	Delta- pine 16	Delta- pine 45	McNair 511	Stone- ville 213	---	---	---	---	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>													
Attala	-	43	-	-	57	-	-	-	-	-	-	-	100
Hinds	-	52	-	-	48	-	-	-	-	-	-	-	100
Madison 1/	-	51	-	-	49	-	-	-	-	-	-	-	100
Noxubee	-	77	-	-	23	-	-	-	-	-	-	-	100
Rankin	-	85	-	-	15	-	-	-	-	-	-	-	100
Webster	-	65	-	-	35	-	-	-	-	-	-	-	100
Winston	-	40	-	-	60	-	-	-	-	-	-	-	100
All other	*	49	*	1	50	-	-	-	-	-	-	-	100
Classing Office Total	*	54	*	*	46	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other."

* Less than 0.5 percent.

Table 12. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Auburn M	Coker 310	Delta- pine 16	Delta- pine 45	Dixie King II	Dixie King III	Han- cock	Rex Smooth Leaf	Stone- ville 213	Stone- ville 603	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Tennessee:</u>														
Carroll	-	-	35	-	12	52	1	-	-	-	-	-	-	100
Chester	3	-	52	-	5	23	5	-	12	-	-	-	-	100
Crockett	1	-	31	-	-	18	-	-	49	1	-	-	-	100
Dyer	3	-	4	-	-	13	2	-	74	4	-	-	*	100
Fayette	10	-	41	-	-	8	11	-	23	7	-	-	-	100
Gibson	13	22	22	-	-	7	1	-	31	4	-	-	-	100
Hardeman	2	-	51	-	-	8	4	-	32	3	-	-	-	100
Haywood	-	2	30	-	-	18	1	-	17	32	-	-	-	100
Henderson	-	-	26	-	-	37	-	8	21	8	-	-	-	100
Lake	33	-	-	-	-	1	-	-	66	-	-	-	-	100
Lauderdale	2	1	33	-	-	21	3	-	22	18	-	-	*	100
Lincoln	-	-	1	-	-	10	39	-	9	40	-	-	1	100
McNairy	3	-	29	-	-	38	-	-	24	6	-	-	-	100
Madison	6	-	37	-	-	20	-	-	30	7	-	-	-	100
Obion	-	2	8	-	-	18	19	-	31	22	-	-	-	100
Shelby	8	-	19	-	5	18	8	37	5	-	-	-	-	100
Tipton	-	4	25	-	-	25	12	-	12	22	-	-	-	100
All other	20	2	15	-	-	24	1	-	32	6	-	-	-	100
Total	6	4	27	-	1	17	5	3	27	10	-	-	*	100
<u>Arkansas:</u>														
Total 1/	-	-	36	-	-	-	-	3	61	-	-	-	-	100

Table 12. Memphis Classing Office: (Continued)

State and County	Auburn M	Coker 310	Delta- pine 16	Delta- pine 45	Dixie King II	Dixie King III	Han- cock	Rex Smooth Leaf	Stone- ville 213	Stone- ville 603	---	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alcorn	-	6	19	-	-	21	-	-	54	-	-	-	-	100
Benton	-	-	50	-	-	-	-	-	50	-	-	-	-	100
Calhoun	-	-	27	-	-	-	-	-	68	5	-	-	-	100
Chickasaw	-	-	50	2	-	-	-	-	48	-	-	-	-	100
DeSoto 2/	-	-	47	-	-	4	-	-	45	-	-	-	4	100
Grenada 3/	-	-	50	-	-	-	-	-	50	-	-	-	-	100
Itawamba	-	-	-	-	33	-	-	-	67	-	-	-	-	100
Lee	-	-	59	-	-	-	-	-	41	-	-	-	-	100
Marshall	-	-	75	-	-	-	-	-	22	3	-	-	-	100
Monroe	-	-	69	2	-	-	-	-	29	-	-	-	-	100
Panola 2/	-	-	26	-	-	-	-	-	74	-	-	-	-	100
Pontotoc	-	-	50	-	-	-	-	-	50	-	-	-	-	100
Prentiss	-	3	57	-	-	5	-	-	35	-	-	-	-	100
Tate 3/	-	-	54	-	-	-	-	-	46	-	-	-	-	100
Tippah	-	-	67	-	-	-	-	-	33	-	-	-	-	100
Union	-	-	10	-	-	-	-	-	90	-	-	-	-	100
Yalobusha	-	-	50	-	-	-	-	-	50	-	-	-	-	100
All other	-	4	43	-	-	4	-	-	49	-	-	-	-	100
Total	-	*	49	*	1	1	-	-	48	1	-	-	*	100
Classing Office Total	4	2	34	*	1	11	3	2	36	7	-	-	*	100

1/ Includes Crittenden County and the portion of Cross County served by Memphis Classing Office.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other."

* Less than 0.5 percent.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Auburn M	Brycot 4	Coker 310	Delcot 277	Delta- pine 16	Delta- pine 25	Delta- pine 45A	Dixie King	McNair 612	Rex Smooth Leaf 66	Stone- ville 7A	Stone- ville 213	Other	Total
	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Missouri:</u>														
Dunklin	8	7	-	1	23	-	1	2	-	1	-	55	2	100
Mississippi	33	-	-	-	2	-	-	-	-	1	-	64	*	100
New Madrid	3	4	1	1	4	-	-	-	-	3	3	80	1	100
Pemiscot	*	-	-	-	32	2	-	-	-	1	1	64	-	100
Stoddard	4	3	-	3	-	-	-	-	-	-	-	89	1	100
All other	*	-	5	1	2	-	-	-	4	-	-	88	*	100
Classing Office Total	4	3	1	1	17	1	*	1	*	1	1	69	1	100

* Less than 0.5 percent.

Table 14. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Brycot 4	Delta- pine 16	Rex Smooth Leaf 66	Stone- ville 7A	Stone- ville 213	---	---	---	---	---	---	---	Other	Total
	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arkansas:</u>														
Clay 1/	1	13	2	1	81	-	-	-	-	-	-	-	2	100
Craighead	4	11	1	2	81	-	-	-	-	-	-	-	1	100
Greene	2	13	-	1	83	-	-	-	-	-	-	-	1	100
Mississippi	12	22	-	4	62	-	-	-	-	-	-	-	-	100
Poinsett	3	15	-	1	81	-	-	-	-	-	-	-	-	100
Classing Office Total	6	16	*	2	76	-	-	-	-	-	-	-	*	100

1/ A portion of this county is served by Little Rock Classing Office.

* Less than 0.5 percent.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Auburn M	Brycot 4	Coker 310	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King III	Lockett BXL	Rex Smooth Leaf 66	Stoneville 213	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Ashley	-	-	-	35	-	-	-	-	-	63	-	2	100
Chicot	-	-	-	45	1	-	-	-	-	54	-	-	100
Clay 1/	11	-	-	9	-	-	-	-	-	77	-	3	100
Cross 2/	-	-	-	25	-	-	-	-	3	72	-	-	100
Desha	-	-	-	25	-	-	-	-	-	75	-	-	100
Drew	-	-	-	72	2	-	-	-	-	26	-	-	100
Jackson	-	-	3	16	-	-	-	-	11	70	-	-	100
Jefferson	-	-	-	86	5	3	-	-	-	6	-	-	100
Lafayette	-	-	-	73	14	-	-	-	-	13	-	-	100
Lawrence	-	9	-	6	-	-	-	-	38	47	-	-	100
Lee	-	-	-	24	-	-	-	-	-	76	-	-	100
Lincoln	-	2	-	45	6	-	-	-	-	45	-	2	100
Lonoke	-	-	-	60	-	-	-	-	-	40	-	-	100
Miller	-	-	-	77	-	-	-	-	-	23	-	-	100
Monroe	-	2	-	62	-	-	-	-	-	36	-	-	100
Phillips	-	-	-	39	-	-	-	-	1	60	-	-	100
Pulaski	-	-	4	14	4	-	-	-	-	78	-	-	100
St. Francis	-	-	-	38	-	-	5	-	-	57	-	-	100
Woodruff	-	2	-	20	-	-	-	2	1	75	-	-	100
All other	-	-	-	26	-	-	-	-	5	67	-	2	100
Classing Office Total	*	1	*	45	1	*	*	*	1	52	-	*	100

1/ A portion of this county is served by Blytheville Classing Office.

2/ A portion of this county is served by Memphis Classing Office and is included in the data for "Arkansas."

* Less than 0.5 percent.

Table 16. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1975

State and Parish	Coker 310	Delta- pine 16	Delta- pine 25	Delta- pine 45A	Stone- ville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other	Total
<u>Louisiana:</u>													
Catahoula	1	10	4	1	84	-	-	-	-	-	-	-	100
Concordia	-	68	16	-	16	-	-	-	-	-	-	-	100
East Carroll	-	61	1	-	38	-	-	-	-	-	-	-	100
Franklin	-	41	-	-	59	-	-	-	-	-	-	-	100
Madison	-	36	-	-	64	-	-	-	-	-	-	-	100
Morehouse	-	47	1	2	50	-	-	-	-	-	-	-	100
Ouachita	1	45	1	5	48	-	-	-	-	-	-	-	100
Richland	-	44	3	4	49	-	-	-	-	-	-	-	100
Tensas	-	38	-	16	46	-	-	-	-	-	-	-	100
West Carroll	-	36	-	-	64	-	-	-	-	-	-	-	100
All other	-	35	-	25	40	-	-	-	-	-	-	-	100
Classing													
Office Total	*	43	1	4	52	-	-	-	-	-	-	-	100

* Less than 0.5 percent.

Table 17. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1975

State and Parish	Delta- pine 16	Delta- pine 25	Delta- pine 45A	Delta- pine 7A	Stone- ville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other	Total
<u>Louisiana:</u>													
Avoyelles	44	10	31	-	15	-	-	-	-	-	-	-	100
Bossier	99	-	-	-	-	-	-	-	-	-	-	1	100
Caddo	99	1	-	-	-	-	-	-	-	-	-	-	100
Natchitoches	68	-	27	-	5	-	-	-	-	-	-	-	100
Rapides	16	5	27	5	47	-	-	-	-	-	-	-	100
St. Landry	44	3	44	-	9	-	-	-	-	-	-	-	100
All other	58	10	17	-	15	-	-	-	-	-	-	-	100
Classing													
Office Total	68	3	16	1	12	-	-	-	-	-	-	*	100

* Less than 0.5 percent.

Table 18. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Delta-pine 16	Gregg 35	Lank-art 57	Lank-art 611	Lank-art LX 571	Lock-ett 4789A	Lock-ett BXL	Northern Star 5	Northern Star R-4	Pay-master 18	Pay-master 202	Stone-ville 213	Tamcot SP 21	West-burn 70	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Oklahoma:																
Beckham	-	1	64	20	7	-	2	-	-	-	2	-	-	4	-	100
Caddo	-	-	57	24	17	-	-	-	-	-	-	-	-	1	1	100
Canadian	-	-	28	-	60	-	-	-	-	-	-	-	-	-	12	100
Custer	-	-	39	14	47	-	-	-	-	-	-	-	-	-	-	100
Grady	-	-	44	23	33	-	-	-	-	-	-	-	-	-	-	100
Greer	-	-	87	1	7	1	-	-	-	-	-	-	-	4	-	100
Harmon	-	-	28	-	-	6	2	5	-	-	-	47	3	-	9	100
Jackson	16	-	46	-	6	2	-	-	-	-	-	-	-	-	30	100
Kiowa	-	-	65	27	8	-	-	-	-	-	-	-	-	-	-	100
Tillman	-	-	79	3	12	-	3	-	-	-	-	-	-	3	-	100
Washita	-	-	44	28	12	-	-	-	-	-	-	-	-	15	1	100
All other	-	-	45	35	11	-	-	-	-	-	-	-	-	-	9	100
Total	3	*	57	14	12	1	1	*	-	-	*	4	*	3	5	100
Texas:																
Briscoe	-	-	-	22	5	3	-	-	2	48	6	-	-	-	14	100
Childress	-	-	5	20	3	34	8	15	-	-	-	-	-	-	15	100
Collingsworth	-	15	47	4	14	9	-	-	-	-	-	-	8	-	3	100
Cottle	-	-	31	16	39	9	-	-	-	-	1	-	-	-	4	100
Donley	-	40	9	-	2	-	-	3	-	13	8	-	-	-	25	100
Foard	-	-	76	4	-	8	8	-	-	-	-	-	-	-	4	100
Hall	-	3	6	14	6	18	5	16	4	-	8	-	5	-	15	100
Hardeman	-	-	45	25	-	15	6	-	-	-	-	-	9	-	-	100
Motley	-	-	6	13	26	4	2	-	14	14	-	-	-	-	21	100
Wheeler	-	39	4	16	-	-	-	-	-	-	17	-	-	-	24	100
Wilbarger	-	-	56	3	14	-	15	2	-	-	-	-	-	-	10	100
All other	-	13	19	17	34	-	-	14	-	-	-	-	-	-	3	100
Total	-	6	22	14	14	11	4	6	2	6	3	-	3	-	9	100
Classing Office Total	2	4	37	13	13	7	3	3	1	3	2	1	2	1	8	100

* Less than 0.5 percent.

Table 19. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Coker 5110	Delta-pine 16	Lank-art 57	Lank-art 611	Lank-art LX 571	Lock-ett 4789	Lock-ett 4789A	Lock-ett BXL	Parrott	Pay-master 202	Quapaw	Tamcot SP 37	TPSA 41A	TPSA 1633	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Collin	-	-	78	-	22	-	-	-	-	-	-	-	-	-	*	100
Delta	-	-	36	-	57	-	-	-	-	-	-	-	3	-	4	100
Ellis	*	-	4	*	92	-	-	-	-	-	-	3	-	-	1	100
Fannin	-	-	86	-	12	-	-	-	-	-	1	-	-	-	1	100
Grayson	-	-	71	-	6	-	-	-	-	-	8	-	-	15	-	100
Hill	-	-	33	7	48	-	-	1	-	-	*	9	2	-	*	100
Hunt	-	-	38	-	59	-	-	-	-	-	-	-	-	-	3	100
Johnson	-	-	38	-	41	-	-	-	-	-	-	21	-	-	-	100
Kaufman	-	-	44	-	55	-	-	-	-	-	-	-	-	-	1	100
Lamar	-	-	9	1	86	-	-	-	-	-	2	-	-	2	*	100
Navarro	-	-	21	-	55	-	-	-	-	-	-	24	-	-	*	100
All other	-	2	46	8	42	-	1	*	-	-	*	-	-	-	1	100
Total	*	*	36	2	55	-	*	*	-	-	*	6	*	*	1	100
<u>Oklahoma:</u>																
Muskogee	-	70	-	-	6	-	7	16	-	-	-	-	-	-	1	100
All other	-	7	66	14	1	1	1	3	3	2	-	-	-	-	2	100
Total	-	12	61	12	2	1	1	4	3	2	-	-	-	-	2	100
Classing Office Total	*	1	37	3	52	*	*	*	*	*	*	6	*	*	1	100

* Less than 0.5 percent.

Table 20. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Anton 99	Delta- pine 16	Delta- pine SR-1	Dunn 120	Lank- art 57	Lank- art 611	Lank- art 3840	Lank- art LX 571	Quapaw	Stone- ville 7A	Stone- ville 213	Tamcot SP 21	Tamcot SP 37	TPSA 1633	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Bell	-	-	-	-	26	2	-	66	-	-	-	-	1	-	5	100
Brazoria	-	43	-	-	-	-	-	-	-	5	11	-	41	-	-	100
Brazos	-	28	2	-	-	-	-	-	41	-	22	-	5	-	2	100
Burleson	-	26	-	-	-	-	-	-	-	-	61	-	7	3	3	100
Falls	-	-	-	-	21	-	-	77	-	-	-	-	2	-	-	100
Fort Bend	-	46	-	-	1	-	-	-	-	13	40	-	-	-	-	100
Houston	-	13	-	-	-	-	-	-	-	61	-	-	22	4	-	100
McLennan	-	-	-	-	-	-	-	99	-	-	-	-	1	-	-	100
Milam	-	-	-	-	23	-	33	41	-	-	-	-	-	-	3	100
Robertson	-	-	-	-	-	-	36	-	-	-	59	-	-	-	5	100
Travis	-	-	-	-	95	-	-	-	-	-	-	-	-	-	5	100
Williamson	-	-	-	-	40	5	-	38	-	-	-	-	1	10	6	100
Zavala	-	-	-	-	-	-	-	-	-	9	86	-	5	-	-	100
All other	1	14	-	*	32	-	-	16	1	7	17	3	8	-	1	100
Classing Office Total	*	11	*	*	20	1	3	38	1	5	13	*	4	2	2	100

* Less than 0.5 percent.

Table 21. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Delta-pine 16	Delta-pine 66	Delta-pine SR-1	Delta-pine SR-2	Hybee 200 A	Lank-art 611	Quapaw	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Tamcot SP 21	Tamcot SP 37	TPSA 1633	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Matagorda	47	-	-	-	-	-	-	-	45	-	-	8	-	-	-	100
Nueces	*	1	2	1	-	1	*	-	-	*	8	83	-	-	4	100
San Patricio	-	-	-	-	-	1	-	-	2	=	-	93	-	-	4	100
Wharton	45	-	-	-	2	-	-	1	26	19	-	5	-	-	2	100
All other	11	-	-	-	-	-	6	-	14	10	-	54	3	-	2	100
Classing Office Total	12	*	1	*	*	*	1	*	8	5	3	67	*	-	3	100

* Less than 0.5 percent.

Table 22. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Delta-pine 16	Delta-pine 66	Delta-pine SR-1	Lank-art 611	Quapaw	Stone-ville 7A	Stone-ville 213	Stone-ville 256	Tamcot SP 37	TPSA 1633	---	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Cameron	3	*	11	*	*	37	27	1	12	9	-	*	100
Hidalgo	1	-	1	-	1	30	46	3	7	11	-	*	100
Willacy	-	*	3	-	-	12	81	*	4	*	-	*	100
Classing Office Total	1	*	6	*	*	27	51	1	8	6	-	*	100

* Less than 0.5 percent.

Table 23. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Blight-master A-5	Delta-pine SR-2	Lank-art 57	Lank-art LX 571	Lank-art 611	Lock-ett BXL	Lock-ett 4789	Lock-ett 4789A	Northern Star R-5	Pay-Master 202	Tamcot SP 21	Tamcot SP 37	West-ern 44	Western Storm-proof	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Coleman	-	-	85	5	10	-	-	-	-	-	-	-	-	-	-	100
Dickens	-	-	24	23	29	-	9	-	-	-	-	-	-	2	13	100
Fisher	-	25	10	5	8	-	-	-	3	5	-	-	22	-	22	100
Glasscock	-	5	-	-	50	5	5	5	-	-	-	5	-	10	15	100
Haskell	-	-	16	52	23	-	-	-	-	-	-	9	-	-	-	100
Howard 1/	15	3	-	-	-	-	-	14	17	-	-	1	-	46	4	100
Jones	-	-	3	26	65	-	-	-	-	-	-	3	-	-	3	100
Knox	-	-	27	6	7	-	-	6	-	-	23	19	-	-	12	100
Martin 1/	10	2	-	-	-	4	49	-	2	-	-	-	-	26	7	100
Mitchell	-	-	-	1	28	2	-	10	4	1	-	7	37	5	5	100
Nolan	5	-	-	-	-	-	-	-	21	5	19	15	17	13	5	100
Runnels	-	-	12	41	21	-	-	-	-	-	-	26	-	-	-	100
Scurry 1/	2	11	-	2	17	2	2	2	6	3	2	4	33	5	9	100
Taylor	-	-	-	-	80	-	-	-	-	-	-	20	-	-	-	100
Tom Green	-	5	36	28	16	-	-	-	-	-	-	13	1	-	1	100
All other	5	1	10	19	29	-	3	2	-	-	6	6	2	14	3	100
Classing Office Total	4	4	9	15	21	1	8	3	4	1	2	6	7	12	3	100

Classing

Office Total

1/ Includes portion of county served by Lubbock Classing Office.

Table 24. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Blight- master A-5	Coker 5110	Delta- pine SR 2	Dunn 118	Dunn 119	GSA 71	Lock- ett 4789A	Pay- master 18	Pay- master 111	Pay- master 111A	Pay- master 909	Rilcot 90	Strip- per 31	Strip- per 32	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Bailey	-	-	-	3	3	2	-	4	-	-	-	6	36	5	41	100
Castro	-	-	-	-	1	-	-	9	-	-	-	21	34	1	34	100
Cockran	-	-	-	-	-	-	-	10	20	-	-	33	14	-	23	100
Crosby	-	6	-	3	3	-	-	3	10	1	38	-	27	-	9	100
Dawson	23	3	12	-	*	-	15	11	4	12	-	-	9	-	11	100
Floyd	-	-	*	*	6	-	-	19	8	1	3	-	32	4	27	100
Gaines	2	2	10	-	2	5	5	14	-	11	2	1	35	-	11	100
Garza	-	6	-	3	3	-	-	-	28	-	29	-	-	-	31	100
Hale	-	-	*	-	7	1	1	25	-	2	16	*	20	7	21	100
Hockley	-	1	-	4	3	-	6	22	7	2	4	2	20	2	27	100
Lamb	-	-	-	3	4	6	-	23	-	*	6	10	32	3	13	100
Lubbock	-	8	*	16	1	5	-	3	1	*	33	-	19	*	14	100
Lynn	7	17	1	2	*	4	22	-	3	5	11	-	7	-	21	100
Parmer	-	-	-	-	-	-	-	3	-	9	-	13	17	-	58	100
Swisher	-	-	-	-	-	-	-	22	-	3	-	-	54	9	12	100
Terry	-	1	8	-	1	4	2	7	-	7	4	-	18	*	48	100
Yoakum	-	-	-	-	7	-	-	3	3	-	-	45	18	10	14	100
All other	4	-	-	-	-	-	36	-	-	36	-	-	5	-	19	100
Total	4	4	3	3	2	2	6	11	4	4	11	3	21	1	21	100
<u>New Mexico:</u>																
Total 1/	-	-	-	-	-	-	-	1	-	11	-	55	15	7	11	100
Classing Office Total	4	4	3	3	2	2	6	11	4	4	11	4	21	1	20	100

1/ Includes Roosevelt and Quay counties.

* Less than 0.5 percent.

Table 25. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Acala 1517C	Acala 1517V	Acala 1517- 70	Coker 310	Coker 312	Coker 5110	Delta- pine 16	Delta- pine 61	Dunn 118	Lank- art 571	Stone- ville 213	Stone- ville 256	Stro- man 104	Stro- man 254	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
El Paso	21	7	40	-	-	-	*	-	-	-	25	-	2	2	3	100
All other	28	-	5	40	4	12	4	-	7	-	*	-	-	-	*	100
Total	25	3	20	22	2	7	2	-	4	-	11	-	1	1	2	100
<u>New Mexico:</u>																
Dona Ana	8	38	40	-	2	1	*	*	-	-	1	-	3	4	3	100
Luna	3	52	28	-	1	*	*	-	-	-	14	1	-	-	1	100
All other	-	58	30	8	1	3	-	-	-	-	-	-	-	-	-	100
Total	6	45	35	1	1	1	*	*	-	-	4	*	2	2	3	100
<u>Arizona:</u>																
Cochise	3	10	23	-	5	12	-	1	-	6	25	11	-	-	4	100
All other	-	-	17	-	-	-	50	18	-	-	8	7	-	-	-	100
Total	2	7	22	-	3	9	15	6	-	4	20	9	-	-	3	100
Classing Office Total	11	26	29	7	2	4	4	1	1	1	9	2	1	1	1	100

* Less than 0.5 percent.

Table 26. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Acala 1517C	Acala 1517V	Acala 1517- 70	Delta- pine 16	Lank- art 57	Pay- master 18	Pay- master 909	Rilcot 90	Stone- ville 213	Strip- per 31	Stroman Acala 3	Stroman Acala 104	Stro- man 254	Tamcot SP 21	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>New Mexico:</u>																
Chaves	12	31	31	-	-	-	*	-	-	-	4	4	13	-	5	100
Eddy	1	40	53	-	-	-	-	-	-	-	-	-	-	-	6	100
Lea	-	-	5	1	8	7	20	7	-	14	-	-	-	-	38	100
Total	5	25	31	*	2	2	5	2	-	4	2	2	5	-	15	100
<u>Texas:</u>																
Reeves	-	-	-	20	-	-	-	-	30	-	-	-	-	20	30	100
All other	-	-	8	1	2	8	15	-	2	22	-	-	-	13	29	100
Total	-	-	4	9	1	4	9	-	14	13	-	-	-	15	31	100
Classing Office Total	5	22	28	2	2	2	6	1	2	5	2	1	5	2	15	100

* Less than 0.5 percent.

Table 27. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Del Cerro	Delta-pine		Delta-pine		Delta-pine		Stone-ville 7A		Stone-ville 213		Stone-ville 256		Other		Total	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Maricopa	1	12	64	3	*	17	3	-	-	-	-	-	-	-	-	100	100
Pima	-	20	43	-	25	10	2	-	-	-	-	-	-	-	-	100	100
Pinal	-	22	46	23	-	4	5	-	-	-	-	-	-	-	-	100	100
Yuma 1/	-	42	26	16	-	12	4	-	-	-	-	-	-	-	-	100	100
All other	-	-	-	-	-	-	100	-	-	-	-	-	-	-	-	100	100
Classing Office Total	1	18	52	11	2	12	4	-	-	-	-	-	-	-	-	100	100

1/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 28. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1975

State and County	Acala 4-42	Acala SJ-1		Acala SJ-2		Acala SJ-3		Acala SJ-4		Other		Total	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Fresno	1	*	93	2	4	-	-	-	-	-	-	*	100
Kings 1/	*	-	87	1	12	-	-	-	-	-	-	-	100
Madera	-	-	81	11	8	-	-	-	-	-	-	-	100
Merced	*	-	89	4	7	-	-	-	-	-	-	-	100
Tulare 1/	-	-	71	15	14	-	-	-	-	-	-	-	100
Classing Office Total	1	*	90	3	6	-	-	-	-	-	-	*	100

1/ A portion of this county is served by Bakersfield Classing Office.

* Less than 0.5 percent.

Table 29. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Acala 4-42	Acala SJ-2	Acala SJ-3	Acala SJ-4	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
<u>California:</u>																	
Kern	*	96	1	3	-	-	-	-	-	-	-	-	-	-	-	-	100
Kings <u>1/</u>	-	90	3	7	-	-	-	-	-	-	-	-	-	-	-	-	100
Tulare <u>1/</u>	1	65	2	32	-	-	-	-	-	-	-	-	-	-	-	-	100
Classing Office Total	*	89	2	9	-	-	-	-	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Fresno Classing Office.

* Less than 0.5 percent.

Table 30. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties,
by counties, crop of 1975

State and County	Delta- pine 16	Delta- pine 61	Delta- pine 66	Stone- ville 213	Stone- ville 256	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Total
<u>California:</u>																	
Imperial	3	81	-	8	8	-	-	-	-	-	-	-	-	-	-	-	100
Riverside	12	77	6	-	5	-	-	-	-	-	-	-	-	-	-	-	100
Total	6	80	2	5	7	-	-	-	-	-	-	-	-	-	-	-	100
<u>Arizona:</u>																	
Yuma <u>1/</u>	25	66	6	-	3	-	-	-	-	-	-	-	-	-	-	-	100
Total	25	66	6	-	3	-	-	-	-	-	-	-	-	-	-	-	100
Classing Office Total	11	77	3	4	5	-	-	-	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Phoenix Classing Office.

Table 31. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1971-1975

State and Year	Acreage planted 1,000 acres	Pima S-1 Pct.	Pima S-2 Pct.	Pima S-3 Pct.	Pima S-4 Pct.	Pima S-5 Pct.	Pima P-28 Pct.	Other Pct.	Total Pct.
Arizona									
1971	44.5	-	17	6	77	-	-	-	100
1972	41.3	-	8	3	89	-	-	-	100
1973	34.0	-	7	5	88	-	-	-	100
1974	34.7	-	2	*	98	-	*	-	100
1975	30.0	-	*	*	78	21	1	-	100
New Mexico									
1971	21.5	1	18	18	63	-	-	-	100
1972	21.4	-	7	15	78	-	-	-	100
1973	18.7	-	4	12	84	-	-	-	100
1974	14.6	1	3	8	88	-	-	-	100
1975	13.0	-	7	14	65	3	11	-	100
Texas									
1971	35.7	*	9	13	78	-	-	-	100
1972	35.0	-	6	3	91	-	-	-	100
1973	31.7	-	9	2	89	-	-	-	100
1974	33.9	-	11	3	86	-	-	-	100
1975	27.0	-	14	4	77	2	3	-	100
United States ^{1/}									
1971	101.7	*	14	10	76	-	-	-	100
1972	97.7	-	7	4	89	-	-	-	100
1973	84.4	-	8	5	87	-	-	-	100
1974	83.2	*	5	2	93	-	*	-	100
1975	70.0	-	7	4	75	10	4	-	100

^{1/} Excludes California.

* Less than 0.5 percent.

Table 32. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1975

Classing office territory and County	Pima S-2 Pct.	Pima S-3 Pct.	Pima S-4 Pct.	Pima S-5 Pct.	Pima P-28 Pct.	Other Pct.	Total Pct.
<u>El Paso territory</u>							
Arizona:							
Total	*	1	85	9	5	-	100
New Mexico:							
Dona Ana	8	14	64	3	11	-	100
All other	-	-	90	-	10	-	100
Total	7	14	65	3	11	-	100
Texas:							
El Paso	-	5	89	2	4	-	100
All other	55	-	39	3	3	-	100
Total	14	4	77	2	3	-	100
Classing Office Total	10	6	74	4	6	-	100
<u>Phoenix territory</u>							
Arizona:							
Maricopa	-	-	98	2	-	-	100
Pima	-	-	73	27	-	-	100
Pinal	-	-	77	23	-	-	100
All other	-	-	50	50	-	-	100
Total	-	-	75	25	-	-	100

* Less than 0.5 percent.

